



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.). FILING DATE		FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/901,176	1,176 07/09/2001		Terry L. Cole	2000.053400 6003	
23720	7590	12/13/2005		INER	
	S, MORGAI IMOND, SUI	N & AMERSON	DERWICH, KRISTIN M		
	TX 77042	16 1100		ART UNIT	PAPER NUMBER
				2132	

DATE MAILED: 12/13/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)
	09/901,176	COLE ET AL.
Office Action Summary	Examiner	Art Unit
	Kristin Derwich	2132
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the	correspondence address
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period was realiure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be strill apply and will expire SIX (6) MONTHS from cause the application to become ABANDON	N). imely filed in the mailing date of this communication. ED (35 U.S.C. § 133).
Status		
Responsive to communication(s) filed on <u>15 Sec</u> This action is FINAL . 2b)⊠ This Since this application is in condition for allowant closed in accordance with the practice under E	action is non-final. nce except for formal matters, p	
Disposition of Claims		
4) ☐ Claim(s) 1-61 is/are pending in the application. 4a) Of the above claim(s) is/are withdraw 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) 1-61 is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and/or	vn from consideration.	
Application Papers		
9) The specification is objected to by the Examiner 10) The drawing(s) filed on 27 April 2005 is/are: a) Applicant may not request that any objection to the of Replacement drawing sheet(s) including the correction of the original of the correction of the original of the correction of the original of the correction of the original orig	☑ accepted or b)☐ objected to drawing(s) be held in abeyance. So ion is required if the drawing(s) is o	ee 37 CFR 1.85(a). bjected to. See 37 CFR 1.121(d).
Priority under 35 U.S.C. § 119		
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority documents 2. Certified copies of the priority documents 3. Copies of the certified copies of the priori application from the International Bureau * See the attached detailed Office action for a list of	s have been received. s have been received in Applica ity documents have been received in Applica	tion No red in this National Stage
Attachment(s)		
Notice of References Cited (PTO-892) Notice of Draftsperson's Patent Drawing Review (PTO-948)	4) Interview Summar Paper No(s)/Mail [Date
3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date	6) Other:	Patent Application (PTO-152)

DETAILED ACTION

1. Claims 1-61 are pending.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Hereafter patent literature that is referenced as prior art will be cited by column and line number in the form of (column number:line number range). For example, the citation (6:23-27) refers to lines 23-27 of the 6th column in the reference.

2. Claims 1-5,10-12, 49-54 rejected under 35 U.S.C. 103(a) as being unpatentable over Laczko et al. (Laczko), U.S. Patent Number 6,775,778 in view of Bahl, U.S. Patent Number 6,629,151.

Regarding claim 1, Laczko et al. substantially teach a communications system comprising:

physical layer hardware adapted to communicate data over a communications channel, to demodulate an incoming analog signal to generate a digital receive signal and modulate a digital transmit signal to generate an analog transmit signal (see column 3, line 52 - column 4, line 4); and

Page 3

a processing unit adapted to load a secure driver for interfacing with the physical layer hardware, the secure driver including program instructions for implementing a protocol layer to decode the digital receive signal and encode the digital transmit signal (see column 4, lines 19-43). Note that "driver" has a definition, "a program, circuit, or device used to power or control other programs, circuits, or devices" (The Authoritative Dictionary of IEEE Standards Terms, 7th Edition). Accordingly, the "'central processing unit' of Laczko et al. which includes "digital signal processing capability" (see column 4, lines 25-37), and a real time operating system "enabling digital media processor to receive and process various data streams" (see column 5. lines 30-40) meets the limitation of the processing unit of this claim.

Laczko fails to teach the physical layer hardware adapted to communicate data over a wireless communications channel. However, Bahl discloses physical layer hardware adapted to specifically communicate over a wireless communications channel (5:23-39).

It would have been obvious to one of ordinary skill in the art at the time of applicant's invention to combine the wireless communication specific physical hardware of Bahl with the invention of Laczko because it would enable the set top boxes to be programmed wirelessly and it would support the future functionality Laczko predicts for the set top box such as browsing the internet and downloading video games via modem (Laczko, 2:1-15) such as the one disclosed in Bahl.

Regarding claim 2, Laczko et al. further disclose a digitally signed file (see column 5, lines 8-16).

Regarding claim 3, Laczko et al. further disclose memory containing the real time operating system and its corresponding signature portion (see column 5, lines 22-50), meeting the limitation of a secure program storage device adapted to store the secure modern driver.

Regarding claim 4, Laczko et al. further disclose flash memory (see column 5, lines 22-50).

Regarding claim 5, Laczko et al. further disclose a processing unit comprising a computer (title, abstract, column 2, lines 19-33).

Regarding claim 10, Laczko et al. further disclose a program storage device to store a public key for authenticating the digitally signed file (see column 5, lines 22-50).

Regarding claim 11, Laczko et al. further disclose Boot ROM which includes public signature keys (see column 4, line 61- column 5, line 17). Note that BIOS is defined as the "essential software routines that tests hardware at startup, [and] starts the operating system" (Microsoft Computer Dictionary, 5th Edition). The Boot ROM disclosed meets the limitation of BIOS as claimed.

Regarding claims 12, Laczko et al. further disclose securing the device by an authentication key (see column 5, lines 8-16).

Regarding claim 49, Laczko et al. disclose a method for providing a secure driver, comprising storing and loading a secure driver, including program instructions for implementing a communication protocol, and communicating data over a communications channel based on the program instructions in the secure driver (see abstract; column 2, lines 18-22; column 4, lines 19-43; column 7, line 12-13). Note that "driver" has a definition, "a program, circuit, or device used to power or control other programs, circuits, or devices" (The Authoritative Dictionary of

IEEE Standards Terms, 7th Edition). Accordingly, the "central processing unit" of Laczko et al. which includes "digital signal processing capability" (see column 4, lines 25-37), and a real time operating system "enabling digital media processor to receive and process various data streams" (see column 5, lines 30-40) meets the limitation of the processing unit of this claim.

Page 5

Laczko fails to disclose transmitting and receiving data over a wireless communications channel. However, Bahl discloses transmitting and receiving data over a wireless communications channel based on software components (1:53-64).

Regarding claim 50, Laczko et al. further disclose demodulating an incoming analog signal to generate a digital receive signal and modulating a digital transmit signal to generate an analog transmit signal (see column 3, line 52 - column 4, line 4); and decoding the digital receive signal based on the program instructions in the secure driver and encoding the digital transmit signal based on the program instructions in the secure driver (see column 4, lines 19-43).

Regarding claim 51, Laczko et al. further disclose a digitally signed file (see column 5, lines 8-16).

Regarding claim 52, Laczko et al. further disclose memory containing the real time operating system and its corresponding signature portion (see column 5, lines 22-50), meeting the limitation of a secure program storage device adapted to store the secure modem driver.

Regarding claim 53, Laczko et al. further disclose flash memory (see column 5, lines 22 -50).

Regarding claim 54, Laczko et al. further disclose a processing unit comprising a computer (title, abstract, column 2, lines 19-33).

Application/Control Number: 09/901,176

Art Unit: 2132

Regarding claim 56, Laczko et al. further disclose Boot ROM memory adapted to store the secure driver (see column 2, lines 18-33). Note that BIOS is defined as the "essential software routines that tests hardware at startup, [and] starts the operating system' (Microsoft Computer Dictionary, 5th Edition). The Boot ROM disclosed meets the limitation of BIOS as claimed. Note that the real time operating system disclosed meets the limitation of driver as claimed, as noted above.

Page 6

Regarding claim 57, Laczko et al. further disclose a program storage device to store a public key for authenticating the digitally signed file (see column 5, lines 22-50).

Regarding claim 58, Laczko et al. further disclose Boot ROM which includes public signature keys (see column 4, line 61 - column 5,, line 17). Note that BIOS is defined as the "essential" software routines that tests hardware at startup, [and] starts the operating system" (Microsoft Computer Dictionary, 5th Edition). The Boot ROM disclosed meets the limitation of BIOS as claimed.

Regarding claims 59, Laczko et al. further disclose securing the device by an authentication key (see column 5, lines 8-16).

3. Claims 15-23, 25; 26-33, 34, 36, 37-46 and 48 rejected under 35 U.S.C. 103(a) as being unpatentable over Bialick et al. (Bialick), U.S. Patent Number 6,088,802 in view of Laczko (U.S. 6,775,778).

Regarding claim 15, Bialick et al. disclose a computer system comprising a processor complex adapted to load a driver including program instructions for implementing a communications protocol (see abstract; column 6, lines 28-33; column 5, lines 10-18); a bus

coupled to the processor complex (see column 6, lines 28-45); and an expansion card coupled to the bus (see column 6, line 65 - column 7, line 2) including physical layer hardware adapted to communicate data over a communications channel as a modem (see column 13, lines 50-62).

Note that a modem is defined to be a device that modulates digital signals to analog signals and demodulates analog signals to digital signals (The Authoritative Dictionary of IEEE Standard Terms, 7th Edition), and thus it meets the limitations in this claim.

Bialick fails to teach a secure driver, however, Laczko discloses a secure driver (4:19-24).

Regarding claim 16, Bialick et al. further disclose the secure driver comprising a digitally signed file (see column 16, lines 57-67; column 18, lines 12-16).

Regarding claim 17, Bialick et al. further disclose a secure program storage device to store the secure driver (column 9, lines 5-25).

Regarding claim 18, Bialick et al. further disclose secure program storage device comprising a flash memory (column 13, lines 27-36).

Regarding claim 19, Bialick et al. further disclose the secure program storage device located on the expansion card (see column 7, line 60 - column 8, line 14).

Regarding claims 20-22 and 31-33, and 42-45, although Bialick et al. disclose storing the driver and the public key on memory of the computer system, they do not explicitly disclose storing the driver or the public key in the BIOS memory of the computer system, and using it to authenticate the digitally signed file. Nevertheless, Laczko et al. in a similar field of endeavor disclose Boot ROM memory adapted to store the secure driver (see column 2, lines 18-33).

Specifically regarding claims 21, 32, and 43, Laczko et al. also disclose an associated program storage device to store a public key for authenticating the digitally signed file (see column 5, lines 22-50). Specifically regarding claim 45, Laczko et al. disclose loading the secure driver during an initialization of the computer system (see column 2, lines 18-33; column 4, line 61-column 5, line 17; figure 5). Note that BIOS is defined as the "essential software routines that tests hardware at startup, [and] starts the operating system" (Microsoft Computer Dictionary, 5th Edition). The Boot ROM disclosed meets the limitation of BIOS as claimed. Note that "driver" has a definition, "a program, circuit, or device used to power or control other programs, circuits, or devices" (The Authoritative Dictionary of IEEE Standards Terms, 7f Edition). Accordingly, the "central processing unit" of Laczko et al. which includes "digital signal processing capability" (see column 4, lines 25-37), and a real time operating system "enabling digital media processor to receive and process various data streams" (see column 5, lines 30-40) meets the limitation of the processing unit of this claim. It would have been an obvious modification to one of ordinary skill in the art at the time of the invention to the method of Bialick et al. to store the driver and the public key for authenticating the digitally signed file in the BIOS to make them inaccessible from outside the system, as explained by Laczko et al. (see column 2, lines 23-24), thus providing security.

Regarding claim 23 and 25, Bialick et al. further disclose securing the program storage device by an authentication key, and a password (see column 10, line 45-61).

Regarding claim 26, Bialick et al. further disclose a computer system comprising a peripheral device (see title, abstract, column 1, lines 16-27) and a processor complex coupled to the peripheral device (see column 6, lines 28-33) and adapted to load a secure driver including

program instructions for interfacing with the peripheral device (see column 5, lines 10-18; column 6, lines 28-33; column 8, lines 50=61).

Regarding claim 27, Bialick et al. further disclose the secure driver comprising a digitally signed file (see column 16, lines 57-67; column 18, lines 12-16).

Page 9

Regarding claim 28, Bialick et al. further disclose a secure program storage device to store the secure driver (column 9, lines 5-25).

Regarding claim 29, Bialick et al. further disclose secure program storage device comprising a flash memory (column 13, lines 27-36).

Regarding claim 30, Bialick et al. further disclose secure program storage device located on the peripheral device (column 9, lines 18-22).

Regarding claims 34 and 36, Bialick et al. further disclose securing the program storage device by an authentication key, and a password (see column 10, line 45-61).

Regarding claim 37, Bialick et al. further disclose a method for protecting a software driver comprising storing a secure driver in a computer system, the secure driver program including program instructions for interfacing with a peripheral device (see column 5, lines 10-18), loading the secure driver and interfacing the peripheral device using the secure driver (see column 7, lines 17-25).

Regarding claim 38, Bialick et al. further disclose the secure driver comprising a digitally signed file (see column 16, lines 57-67; column 18, lines 12-16).

Regarding claim 39, Bialick et al. further disclose a secure program storage device to store the secure driver (column 9, lines 5-25).

Regarding claim 40, Bialick et al. further disclose storing the secure driver in flash memory (column 13, lines 27-36).

Regarding claim 41, Bialick et al. further disclose secure program storage device located on the peripheral device (column 9, lines 18-22).

Regarding claims 46 and 48, Bialick et al. further disclose securing the program storage device by an authentication key, and a password (see column 10, line 45-61).

4. The following claims are rejected under 35 U.S.C. 103(a) as being unpatentable over Laczko et al. in view of Bialick et al: Claims 6-9,14, 55, and 61.

Regarding claim 6, Laczko et al. disclose a processor complex adapted to execute the program instructions in the secure driver (see column 4, lines 19-43). However, Laczko et al. does not specify the manner by which the physical layer hardware is coupled to the processor complex. Specifically, Laczko et al. do not disclose an expansion card coupled to a bus.

Nevertheless, Bialick et al., in a similar field of endeavor, disclose a peripheral expansion card coupled to a bus which is coupled to a processor complex (see column 5, lines 40-49; column 6, lines 19-51). The card includes physical layer hardware (see column 5, lines 10-18). It would have been obvious to one of ordinary skill in the art at the time of the invention to have utilized the expansion card method of processor-peripheral coupling as disclosed by Bialick et al. in the system of Laczko et al. to achieve more modularity in coupling the physical layer hardware to the processor complex.

As for claims 7 and 8, Bialick et al. disclose the secure program storage device is located on either the expansion card, or in the computer (see column 9, lines 5-9 and 14-20). It would

Art Unit: 2132

have been obvious to one of ordinary skill in the art to allow the computer of Laczko et el. To access program storage on the peripheral device (expansion card) in order for the driver to be close to the physical layer hardware or on the computer to store the driver in order for the driver to be close to the processor complex.

Regarding claim 9, Laczko et al. disclose Boot ROM memory adapted to store the secure driver (see column 2, lines 18-33). Note that BIOS is defined as the "essential software routines that tests hardware at startup, [and] starts the operating system" (Microsoft Computer Dictionary, 5th Edition). The Boot ROM disclosed meets the limitation of BIOS as claimed. Note that the real time operating system disclosed meets the limitation of driver as claimed, as noted above.

Regarding claim 14, Laczko et al. fails to disclose securing the program storage device by a password. However, restricting access to program storage devices based on a password was well known in the art at the time of the invention. For example, Bialick et al. discloses in a similar field of endeavor, securing a peripheral device driver by a password (see column 10, lines 45-47; column 11, lines 8-11). It would have been an obvious modification to one of ordinary skill in the art at the time of the invention to the system of Laczko et al. to require a password to gain access to the driver on the program storage device. This would authenticate the user, or identify the user, as disclosed by Bialick et al.

Regarding claim 55, Laczko et al. disclose a processor complex adapted to execute the program instructions in the secure driver (see column 4, lines 19-43). However, Laczko et al. does not specify the manner by which, the physical layer hardware is coupled to the processor complex. Specifically, Laczko et al. do not disclose an expansion card coupled to a bus. Nevertheless, Bialick et al., in a similar field of endeavor, disclose a peripheral expansion card

Page 12

Art Unit: 2132

coupled to a bus which is coupled to a processor complex (see column 5, lines 40-49; column 6, lines 19-51). The card includes physical layer hardware (see column 5, lines 10-18). It would have been obvious to one of ordinary skill in the art at the time of the invention to have utilized the expansion card method of processor-peripheral coupling as disclosed by Bialick et al. in the system of Laczko et al. to achieve more modularity in coupling the physical layer hardware to the processor complex.

Regarding claim 61, Laczko et al. fails to disclose securing the program storage device by a password. However, restricting access to program storage devices based on a password was well known in the art at the time of the invention. For example, Bialick et al. discloses in a similar field of endeavor, securing a peripheral device driver by a password (see column 10, lines 45-47; column 11, lines 8-11). It would have been an obvious modification to one of ordinary skill in the art at the time of the invention to the system of Laczko et al. to require a password to gain access to the driver on the program storage device. This would authenticate the user, or identify the user, as disclosed by Bialick et al.

5. The following claims are rejected under 35 U.S.C. 103(a) as being unpatentable over Laczko et al. in view of Bahl (U.S. 6,629,151) as applied to claims 1 and 49 above and further in view of Novoa, et al., U.S. Patent Number 6,223,284: Claims 13,14,60, and 61.

Regarding claims 13 and 60, although Laczko et al. and Bahl disclose securing the physical layer hardware with an authentication key, they do not explicitly disclose receiving the key over the communications channel. However, receiving authentication keys over communications channels was well known in the art at the time of the invention. For example,

Page 13

Novoa et al. disclose the remote update of the flash ROM in a computer system using digital signatures in which the public key is received remotely over a communications channel (see column 10, line 30-45; column 20, lines 33-60; column 21, lines 49-58). Novoa et al. also disclose receiving a password, which is also an authentication key, over a communications channel (see abstract). It would have been obvious to one of ordinary skill in the art at the time of the invention to have modified the system of Laczko et al. to allow for the key to be received over the communications channel so that it could be accessed remotely.

Regarding claims 14 and 61, Laczko et al. and Bahl fail to disclose securing the program storage device with a password. However, the use of a password to restrict access to a program storage device was well known in the art at the time of the invention. Exemplary of this is Novoa et al. who, in a similar field of endeavor, disclose securing the secure program storage device with a password (abstract). It would have been obvious to one of ordinary skill in the art at the time of the invention to have modified the system of Laczko et al. to require a password as per Novoa et al. to further secure access to the program storage device.

6. The following claims are rejected under 35 U.S.C. 103(a) as being unpatentable over Bialick et al. in view of Novoa et al., U.S. Patent Number 6,223,284 and further in view of Bahl (U.S. U.S. 6,629,151): Claims 24, 35, and 47.

Regarding claims 24, 35, and 47, as best understood, although Bialick et al. disclose securing the physical layer hardware with an authentication key, they do not explicitly disclose receiving the key over the wireless communications channel. Novoa et al. disclose the remote update of the flash ROM in a computer system using digital signatures in which the public key is Art Unit: 2132

received remotely over a communications channel (see column 10, line 30-45; column 20, lines 33-60; column 21, lines 49-58). Novoa fails to teach the communications channel being wireless. However, Bahl discloses hardware for wireless communications. It would have been obvious to send the authentication keys over a wireless communications channel in order to boot remotely and with more flexibility.

Novoa et al. further disclose receiving a password, which is also an authentication key, over a communications channel (see abstract). It would have been obvious to one of ordinary skill in the art at the time of the invention to have modified the system of Bialick et al. to allow for the key to be received over the communications channel so that it could be accessed remotely.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Kristin Derwich whose telephone number is 571-272-7958. The examiner can normally be reached on Monday - Friday, 8:00-5:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Gilberto Barron can be reached on 571-272-3799. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 09/901,176 Page 15

Art Unit: 2132

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Kristin Derwich Examiner Art Unit 2132

KMD

GILBERTO BARRON Ja.

SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2100